Author Index Vol. 566

Abbiati, G., Fossati, T., Arrigoni, M., Rolle, P., Dognini, G. L. and Castiglioni, C.
High-performance liquid chromatographic assay of L-α-glycerophosphorylcholine using a two-step enzymic conversion 566(1991)445

Abou-Rebyeh, H., Josić, D., Gottschall, K., Schubert-Rehberg, K. and Körber, F.
Purification of carbonic anhydrase isoenzymes by high-performance affinity chromatography and hydrophobic interaction chromatography 566(1991)351

Abou-Rebyeh, H., Körber, F., Schubert-Rehberg, K., Reusch, J. and Josić, D.
Carrier membrane as a stationary phase for affinity chromatography and kinetic studies of membrane-bound enzymes 566(1991)341

Akabane, M., see Shibata, N. 566(1991)187

Andiné, P., see Orwar, O. 566(1991)39

Arrigoni, M., see Abbiati, G. 566(1991)445

Asakawa, N., see Miwa, T. 566(1991)163

Awadzi, K., see Hoaksey, P. E. 566(1991)244

Barrett, D. A., Shaw, P. N. and Davis, S. S.
Determination of morphine and 6-acetylmorphine in plasma by high-performance liquid chromatography with fluorescence detection 566(1991)135

Bayne, W. F., see Constanzer, M. L. 566(1991)127

Bernal-Barragan, H., see Dehnhard, M. 566(1991)101

Bertin, P., see Payan, E. 566(1991)9

Bertino, J. R., see Smith-Rogers, J. A. 566(1991)147

Bettendorff, L.
Application of high-performance liquid chromatography to the study of thiamine metabolism and in particular thiamine triphosphatase 566(1991)397

Biondi, P. A., Guidotti, L., Negri, A. and Secchi, C.
High-performance liquid chromatographic determination of D-amino acid oxidase activity 566(1991)377

Bissbort, S. H., see Ubbink, J. B. 566(1991)369

Buckley, D. J., see Burse, V. W. 566(1991)117

Bücler, M. R., see Wiederkehr, F. 566(1991)77

Burse, V. W., Korver, M. P., McClure, P. C., Holler, J. S., Fast, D. M., Head, S. L., Miller, D. T., Buckley, D. J., Nassif, J. and Timperi, R. J.
Problems associated with interferences in the analysis of serum for polychlorinated biphenyls 566(1991)117

Carr, R. A., Foster, R. T., Freitag, D. and Pasutto, F. M.
Stereospecific high-performance liquid chromatographic determination of tocainide 566(1991)155

Cassier, P., see Cherton, J.-C. 566(1991)511

Castiglioni, C., see Abbiati, G. 566(1991)445

Cavallini, P., see Dalla Libera, L. 566(1991)427

Cherton, J.-C., Chevassus-Clement, M.-T., Lange, C., Convert, O., Fritz, R. and Leroux, P.
Behaviour studies of the fungicide cymoxanil in two strains of the fungus *Botrytis cinerea* and in haemolymph of locust and lobster. I. *In situ* monitoring by internal surface reversed-phase high-performance liquid chromatography 566(1991)499

Cherton, J.-C., Lange, C., Mulheim, C., Païs, M., Cassier, P. and Vey, A.
Direct *in vitro* and *in vivo* monitoring of destruxins metabolism in insects using internal surface reversed-phase high-performance liquid chromatography. I. Behaviour of E destruxin in locusts 566(1991)511

Chevassus-Clement, M.-T., see Cherton, J.-C. 566(1991)499

Claus, R., see Dehnhard, M. 566(1991)101

Colagrande, F., see Jackman, G. P. 566(1991)234

Constanzer, M. L., Matuszewski, B. K. and Bayne, W. F.
High-performance liquid chromatographic method for the determination of finasteride in human plasma at therapeutic doses 566(1991)127

Convert, O., see Cherton, J.-C. 566(1991)499

Corvetta, A., Della Bitta, R., Luchetti, M. M. and Pomponio, G.
5-Methylcytosine content of DNA in blood, synovial mononuclear cells and synovial tissue from patients affected by autoimmune rheumatic diseases 566(1991)481

Coventry, P. A., see Hoaksey, P. E. 566(1991)244
Dalla Libera, L., Fasolo, M., Cavallini, P., Ratti, E. and Gaviraghi, G.
Use of anion-exchange high-performance liquid chromatography for the study of smooth muscle myosin light-chain kinase and its catalytic domain 566(1991)427
Davis, S. S., see Barrett, D. A. 566(1991)135
Dehnhard, M., Bernal-Barragan, H. and Claus, R.
Rapid and accurate high-performance liquid chromatographic method for the determination of 3-methylindole (skatole) in faeces of various species 566(1991)101
Della Bitta, R., see Corvetta, A. 566(1991)481
Dennis, M. J., see Gulaid, A. A. 566(1991)228
De Sandro, V., see Ducrotoy, G. 566(1991)415
Deyl, Z.
The use of HPLC in receptor biochemistry (edited by A. R. Kerlavage) (Book Review) 566(1991)266
Dognini, G. L., see Abbiati, G. 566(1991)445
Doorn, L., see Jansen, E. H. J. M. 566(1991)471
Dorizzi, R., see Tagliaro, F. 566(1991)333
Duafala, M. E., see Smith-Rogers, J. A. 566(1991)147
Duchateau, A. L. L., Hillemans, M. G., Schepers, C. H. M., Ketelaar, P. E. F., Hermes, H. F. M. and Kamphuis, J.
Determination of biocatalyst consumption in an aminopeptidase process using automated sample preparation and high-performance liquid chromatography 566(1991)493
Ducrotoy, G., Richert, L., De Sandro, V., Lurier, D. and Pacaud, E.
Determination of ^{125}I-labelled thyroxine glucuronide by reversed-phase high-performance liquid chromatography using on-line radiochemical detection to determine UDPglucuronosyltransferase activity 566(1991)415
Edwards, G., see Hoaksey, P. E. 566(1991)244
Einarsson, S., see Orwar, O. 566(1991)39
Eitoku, F., see Watanabe, K. 566(1991)109
Fasolo, M., see Dalla Libera, L. 566(1991)427
Fast, D. M., see Burse, V. W. 566(1991)117
Folestad, S., see Orwar, O. 566(1991)39
Fossati, T., see Abbiati, G. 566(1991)445
Foster, R. T., see Carr, R. A. 566(1991)155
Freitag, D., see Carr, R. A. 566(1991)155
Fritz, R., see Cherton, J.-C. 566(1991)499
Funakubo, H., see Yoshioka, M. 566(1991)361
Gaviraghi, G., see Dalla Libera, L. 566(1991)427
Gegout, P., see Payan, E. 566(1991)9
Ghielmi, S., see Tagliaro, F. 566(1991)333
Goto, H., see Ohmori, S. 566(1991)1
Gottschall, K., see Abou-Rebyeh, H. 566(1991)351
Guidotti, L., see Biondi, P. A. 566(1991)377
Gulaid, A. A., Jahn, G. A., Maslen, C. and Dennis, M. J.
Simultaneous determination of trimipramine and its major metabolites by high-performance liquid chromatography 566(1991)228
Guo, R., Lim, C. K. and Peters, T. J.
High-performance liquid chromatographic assays for protoporphyrinogen oxidase and ferrochelatase in human leucocytes 566(1991)383
Haagsma, N., see Van de Water, C. 566(1991)173
Haginaka, J., see Miwa, T. 566(1991)163
Head, S. L., see Burse, V. W. 566(1991)117
Hermes, H. F. M., see Duchateau, A. L. L. 566(1991)493
Hillemans, M. G., see Duchateau, A. L. L. 566(1991)493
Hirota, T., see Ohmori, S. 566(1991)1
Hoaksey, P. E., Awadzi, K., Ward, S. A., Coventry, P. A., Orme, M. L'E. and Edwards, G.
Rapid and sensitive method for the determination of albendazole and albendazole sulphoxide in biological fluids 566(1991)244
Hodr, R., see Knobloch, E. 566(1991)89
Holler, J. S., see Burse, V. W. 566(1991)117
Hujer, R., see Knobloch, E. 566(1991)89
Inoue, H., see Watanabe, K. 566(1991)109
Jackman, G. P., Colagrande, F. and Louis, W. J.
Validation of a solid-phase extraction high-performance liquid chromatographic assay for doxazosin 566(1991)234
Jahn, G. A., see Gulaid, A. A. 566(1991)228
Jansen, E. H. J. M., Doorn, L. and Van Leeuwen, F. X. R.
Determination of proteolytic hydrolysis of thyroglobulin 566(1991)471
Jansen, E. H. J. M. and Van den Berg, R. H.
High-performance liquid chromatographic investigation of product formation in the horseradish peroxidase-enhanced chemiluminescence of luminol with different enhancers 566(1991)461
Johnson, H. D., see Katti, P. S. 566(1991)29
Josić, D., see Abou-Rebyeh, H. 566(1991)341
Josić, D., see Abou-Rebyeh, H. 566(1991)351
Jouzeau, J. Y., see Payan, E. 566(1991)9
Kakinuma, H., see Yokoyama, Y. 566(1991)19
Kamphuis, J., see Duchateau, A. L. L. 566(1991)493
Katti, A. M., see Katti, P. S. 566(1991)29

Katti, P. S., Katti, A. M. and Johnson, H. D.
Determination of heat-exposure effects on the concentration of catecholamines in bovine plasma and milk 566(1991)29
Kawai, S., see Tomita, M. 566(1991)239
Ketelaar, P. E. F., see Duchateau, A. L. L. 566(1991)493
Knobloch, E., Mandys, F., Hodr, R., Hujer, R. and Mader, R.
Study of the mechanism of the photoisomerization and photooxidation of bilirubin using a model for the phototherapy of hyperbilirubinemia 566(1991)89
Kondoh, Y., see Ohmori, S. 566(1991)1
Körber, F., see Abou-Rebyeh, H. 566(1991)341
Körber, F., see Abou-Rebyeh, H. 566(1991)351
Korver, M. P., see Burse, V. W. 566(1991)117
Kristjánsson, F.
Sensitive determination of buspirone in serum by solid-phase extraction and two-dimensional high-performance liquid chromatography 566(1991)250
Krstulovic, A. M., Tagliaro, F. and Marigo, M.
Foreword 566(1991)273
Lange, C., see Cherton, J.-C. 566(1991)499
Lange, C., see Cherton, J.-C. 566(1991)511
Lapicque, F., see Payan, E. 566(1991)9
Leroux, P., see Cherton, J.-C. 566(1991)499
Lewis, R. C., see Rossi, D. T. 566(1991)257
Lim, C. K., see Guo, R. 566(1991)383
Lim, C. K., see Luo, J. 566(1991)409
Louis, W. J., see Jackman, G. P. 566(1991)234
Luchetti, M. M., see Corvetta, A. 566(1991)481
Luo, J. and Lim, C. K.
Random decarboxylation of uroporphyrinogen III by human hepatic uroporphyrinogen decarboxylase 566(1991)409
Lurier, D., see Ducrotoy, G. 566(1991)415
Mader, R., see Knobloch, E. 566(1991)89
Mandys, F., see Knobloch, E. 566(1991)89
Marasas, W. F. O., see Shephard, G. S. 566(1991)195
Marigo, M., see Krstulovic, A. M. 566(1991)273
Marigo, M., see Tagliaro, F. 566(1991)333
Markman, M., see Smith-Rogers, J. A. 566(1991)147
Maslen, C., see Gulaid, A. A. 566(1991)228
Matsui, H., see Ohhira, S. 566(1991)207
Matsui, T., see Yoshioka, M. 566(1991)361
Matsumoto, U., Nakayama, H., Shibusawa, Y. and Niimura, T.
Separation of human serum lipoproteins into three major classes by hydroxyapatite chromatography 566(1991)67
Matsuo, S., see Ueno, H. 566(1991)57
Matuszewski, B. K., see Constanzer, M. L. 566(1991)127
Mauri, P. L., Pietta, P. G. and Pace, M.
Automated high-performance liquid chromatographic assay of enzymatic activities 566(1991)327
Maurich, V., Zacchigna, M. and Pitotti, A.
p-Nitrophenyllaurate: a substrate for the high-performance liquid chromatographic determination of lipase activity 566(1991)453
McClure, P. C., see Burse, V. W. 566(1991)117
McGhie, T. K.
Analysis of serum methylmalonic acid for the determination of cobalt deficiency in cattle 566(1991)215
Miller, D. T., see Burse, V. W. 566(1991)117
Minouchi, T., see Shibata, N. 566(1991)187
Miwa, T., Sakashita, S., Ozawa, H., Haginaka, J., Asakawa, N. and Miyake, Y.
Application of an ovomucoid-conjugated polymer column for the enantiospecific determination of chlorprenaline concentrations in plasma 566(1991)163
Miyake, Y., see Miwa, T. 566(1991)163
Mukai, Y., see Yoshioka, M. 566(1991)361
Mulheim, C., see Cherton, J.-C. 566(1991)511
Muller, N., see Payan, E. 566(1991)9
Nagasawa, T., Sakai, T. and Onodera, R.
Simple and sensitive determination of plasma N^{τ}-methylhistidine by high-performance liquid chromatography using pre-column derivative formation with *o*-phthalaldehyde–2-mercaptoethanol 566(1991)223
Nagatsu, T.
Application of high-performance liquid chromatography to the study of biogenic amine-related enzymes (Review) 566(1991)287
Nakamura, S., see Watanabe, K. 566(1991)109
Nakata, K., see Ohmori, S. 566(1991)1
Nakayama, H., see Matsumoto, U. 566(1991)67
Narang, P. K., see Rossi, D. T. 566(1991)257
Nassif, J., see Burse, V. W. 566(1991)117
Negri, A., see Biondi, P. A. 566(1991)377
Netter, P., see Payan, E. 566(1991)9
Niimura, T., see Matsumoto, U. 566(1991)67
Nose, Y., see Ohmori, S. 566(1991)1
Ogawa, H., see Ohmori, S. 566(1991)1
Ohhira, S. and Matsui, H.
Comparison of sulphur-mode and tin-mode flame photometric detectors for the gas chromatographic determination of organotin compounds 566(1991)207

Ohmori, S., Nose, Y., Ogawa, H., Tsuyama, K., Hirota, T., Goto, H., Yano, Y., Kondoh, Y., Nakata, K. and Tsuboi, S.
Fluorimetric and high-performance liquid chromatographic determination of D-lactate in biological samples 566(1991)1
Okuyama, T., see Tomita, M. 566(1991)239
Ono, T., see Shibata, N. 566(1991)187
Onodera, R., see Nagasawa, T. 566(1991)223
Orme, M. L.E., see Hoaksey, P. E. 566(1991)244
Orwar, O., Folestad, S., Einarsson, S., Andinė, P. and Sandberg, M.
Automated determination of neuroactive acidic sulphur-containing amino acids and γ-glutamyl peptides using liquid chromatography with fluorescence and electrochemical detection 566(1991)39
Overmyer, S. K., see Rossi, D. T. 566(1991)257
Ozawa, H., see Miwa, T. 566(1991)163
Pacaud, E., see Ducrotoy, G. 566(1991)415
Pace, M., see Mauri, P. L. 566(1991)327
Païs, M., see Cherton, J.-C. 566(1991)511
Pasutto, F. M., see Carr, R. A. 566(1991)155
Payan, E., Jouzeau, J. Y., Lapicque, F., Muller, N., Payan, J. P., Gegout, P., Bertin, P. and Netter, P.
Assay of synovial fluid hyaluronic acid using high-performance liquid chromatography of hyaluronidase digests 566(1991)9
Payan, J. P., see Payan, E. 566(1991)9
Peters, T. J., see Guo, R. 566(1991)383
Pietta, P. G., see Mauri, P. L. 566(1991)327
Pitotti, A., see Maurich, V. 566(1991)453
Pomponio, G., see Corvetta, A. 566(1991)481
Ratti, E., see Dalla Libera, L. 566(1991)427
Reusch, J., see Abou-Rebyeh, H. 566(1991)341
Richert, L., see Ducrotoy, G. 566(1991)415
Rolle, P., see Abbiati, G. 566(1991)445
Rossi, D. T., Overmyer, S. K., Lewis, R. C. and Narang, P. K.
Quantitation of a novel antiemetic (ADR-851) in plasma and urine by reversed-phase high-performance liquid chromatography with fluorescence detection 566(1991)257
Rossomando, E. F.
High-performance liquid chromatography in enzymatic analysis. Opening lecture 566(1991)275
Sakai, T., see Nagasawa, T. 566(1991)223
Sakashita, S., see Miwa, T. 566(1991)163
Sandberg, M., see Orwar, O. 566(1991)39
Sato, H., see Yokoyama, Y. 566(1991)19
Schepers, C. H. M., see Duchateau, A. L. L. 566(1991)493
Schubert-Rehberg, K., see Abou-Rebyeh, H. 566(1991)341
Schubert-Rehberg, K., see Abou-Rebyeh, H. 566(1991)351
Secchi, C., see Biondi, P. A. 566(1991)377
Shaw, P. N., see Barrett, D. A. 566(1991)135
Shephard, G. S., Thiel, P. G., Sydenham, E. W., Vleggaar, R. and Marasas, W. F. O.
Reversed-phase high-performance liquid chromatography of tenuazonic acid and related tetramic acids 566(1991)195
Shibata, N., Akabane, M., Minouchi, T., Ono, T. and Shimakawa, H.
Fluorimetric determination of mexiletine in serum by high-performance liquid chromatography using pre-column derivatization with fluorescamine 566(1991)187
Shibusawa, Y., see Matsumoto, U. 566(1991)67
Shimakawa, H., see Shibata, N. 566(1991)187
Smith-Rogers, J. A., Tong, W. P., Duafala, M. E., Markman, M. and Bertino, J. R.
High-performance liquid chromatographic method for the simultaneous measurement of floxuridine and fluorouracil in human body fluids 566(1991)147
Steel, C. C.
Radio-detection high-performance liquid chromatographic enzyme assay for inhibitors of fungal sterol Δ^{14}-reductase 566(1991)435
Sugimoto, H., see Watanabe, K. 566(1991)109
Suzuki, K., see Watanabe, K. 566(1991)109
Sydenham, E. W., see Shephard, G. S. 566(1991)195
Tagliaro, F., Dorizzi, R., Ghielmi, S. and Marigo, M.
Direct injection high-performance liquid chromatographic method with electrochemical detection for the determination of ethanol and methanol in plasma using an alcohol oxidase reactor 566(1991)333
Tagliaro, F., see Krstulovic, A. M. 566(1991)273
Thiel, P. G., see Shephard, G. S. 566(1991)195
Timperi, R. J., see Burse, V. W. 566(1991)117
Tohda, K., see Watanabe, K. 566(1991)109
Tomita, M., Okuyama, T., Watanabe, S., Uno, B. and Kawai, S.
High-performance liquid chromatographic determination of glyphosate and (aminomethyl)phosphonic acid in human serum after conversion into *p*-toluenesulphonyl derivatives 566(1991)239
Tong, W. P., see Smith-Rogers, J. A. 566(1991)147
Tsuboi, S., see Ohmori, S. 566(1991)1
Tsuchiya, M., see Yokoyama, Y. 566(1991)19
Tsuyama, K., see Ohmori, S. 566(1991)1

Ubbink, J. B., Vermaak, W. J. H. and Bissbort, S. H.
High-performance liquid chromatographic assay of human lymphocyte kynureninase activity levels 566(1991)369
Udagawa, A., see Yoshioka, M. 566(1991)361
Ueno, H. and Matsuo, S.
High-performance liquid chromatography followed by radioimmunoassay for the determination of a luteinizing hormone-releasing hormone analogue, leuprorelin, and its metabolite 566(1991)57
Uno, B., see Tomita, M. 566(1991)239
Van den Berg, R. H., see Jansen, E. H. J. M. 566(1991)461
Van de Water, C. and Haagsma, N.
Analysis of chloramphenicol residues in swine tissues and milk: comparative study using different screening and quantitative methods 566(1991)173
Van Leeuwen, F. X. R., see Jansen, E. H. J. M. 566(1991)471
Vermaak, W. J. H., see Ubbink, J. B. 566(1991)369
Vey, A., see Cherton, J.-C. 566(1991)511
Vleggaar, R., see Shephard, G. S. 566(1991)195
Vonderschmitt, D. J., see Wiederkehr, F. 566(1991)77
Ward, S. A., see Hoaksey, P. E. 566(1991)244
Watanabe, K., Tohda, K., Sugimoto, H., Eitoku, F., Inoue, H., Suzuki, K. and Nakamura, S.
Ion-sensitive field effect transistor as a monovalent cation detector for ion chromatography and its application to the measurement of Na^+ and K^+ concentrations in serum 566(1991)109
Watanabe, S., see Tomita, M. 566(1991)239
Wiederkehr, F., Büeler, M. R. and Vonderschmitt, D. J.
Chromatographic and electrophoretic studies of circulating immune complexes in plasma 566(1991)77
Wright, B. E.
Construction of kinetic models to understand metabolism *in vivo* 566(1991)309
Yano, Y., see Ohmori, S. 566(1991)1
Yokoyama, Y., Sato, H., Tsuchiya, M. and Kakinuma, H.
Simultaneous determination of urinary creatinine and aromatic amino acids by cation-exchange chromatography with ultraviolet detection 566(1991)19
Yoshioka, M., Mukai, Y., Matsui, T., Udagawa, A. and Funakubo, H.
Immobilization of ultra-thin layer of monoclonal antibody on glass surface 566(1991)361
Zacchigna, M., see Maurich, V. 566(1991)453

Compound Index 566

Acetylcholine
Application of high-performance liquid chromatography to the study of biogenic amine-related enzymes (Review) 566(1991)287

6-Acetylmorphine
Determination of morphine and 6-acetylmorphine in plasma by high-performance liquid chromatography with fluorescence detection 566(1991)135

Acidic sulphur-containing amino acids
Automated determination of neuroactive acidic sulphur-containing amino acids and γ-glutamyl peptides using liquid chromatography with fluorescence and electrochemical detection 566(1991)39

ADR-851
Quantitation of a novel antiemetic (ADR-851) in plasma and urine by reversed-phase high-performance liquid chromatography with fluorescence detection 566(1991)257

Albendazole
Rapid and sensitive method for the determination of albendazole and albendazole sulphoxide in biological fluids 566(1991)244

Albendazole sulphoxide
Rapid and sensitive method for the determination of albendazole and albendazole sulphoxide in biological fluids 566(1991)244

D-Amino acid oxidase
High-performance liquid chromatographic determination of D-amino acid oxidase activity 566(1991)377

Amino acids
Simultaneous determination of urinary creatinine and aromatic amino acids by cation-exchange chromatography with ultraviolet detection 566(1991)19

Automated determination of neuroactive acidic sulphur-containing amino acids and γ-glutamyl peptides using liquid chromatography with fluorescence and electrochemical detection 566(1991)39

Determination of proteolytic hydrolysis of thyroglobulin 566(1991)471

(Aminomethyl)phosphonic acid
High-performance liquid chromatographic determination of glyphosate and (aminomethyl)-phosphonic acid in human serum after conversion into *p*-toluenesulphonyl derivatives 566(1991)239

Aminopeptidase
Determination of biocatalyst consumption in an aminopeptidase process using automated sample preparation and high-performance liquid chromatography 566(1991)493

Bilirubin
Study of the mechanism of the photoisomerization and photooxidation of bilirubin using a model for the phototherapy of hyperbilirubinemia 566(1991)89

Buspirone
Sensitive determination of buspirone in serum by solid-phase extraction and two-dimensional high-performance liquid chromatography 566(1991)250

Carbohydrates
Construction of kinetic models to understand metabolism *in vivo* 566(1991)309

Carbonic anhydrase isoenzymes
Purification of carbonic anhydrase isoenzymes by high-performance affinity chromatography and hydrophobic interaction chromatography 566(1991)351

Catecholamines
Determination of heat-exposure effects on the concentration of catecholamines in bovine plasma and milk 566(1991)29

Application of high-performance liquid chromatography to the study of biogenic amine-related enzymes (Review) 566(1991)287

Chloramphenicol
Analysis of chloramphenicol residues in swine tissues and milk: comparative study using different screening and quantitative methods 566(1991)173

2-Chloro-4-nitrophenyl acetate
Carrier membrane as a stationary phase for affinity chromatography and kinetic studies of membrane-bound enzymes 566(1991)341

Chlorprenaline
Application of an ovomucoid-conjugated polymer column for the enantiospecific determination of chlorprenaline concentrations in plasma 566(1991)163

Creatinine
Simultaneous determination of urinary creatinine and aromatic amino acids by cation-exchange chromatography with ultraviolet detection 566(1991)19

Cymoxanil
Behaviour studies of the fungicide cymoxanil in two strains of the fungus *Botrytis cinerea* and in haemolymph of locust and lobster. I. *In situ* monitoring by internal surface reversed-phase high-performance liquid chromatography 566(1991)499

Destruxins
Direct *in vitro* and *in vivo* monitoring of destruxins metabolism in insects using internal surface reversed-phase high-performance liquid chromatography. I. Behaviour of E destruxin in locusts 566(1991)511

DNA
5-Methylcytosine content of DNA in blood, synovial mononuclear cells and synovial tissue from patients affected by autoimmune rheumatic diseases 566(1991)481

Doxazosin
Validation of a solid-phase extraction high-performance liquid chromatographic assay for doxazosin 566(1991)234

Enzymes
High-performance liquid chromatography in enzymatic analysis. Opening lecture 566(1991)275

Application of high-performance liquid chromatography to the study of biogenic amine-related enzymes (Review) 566(1991)287

Construction of kinetic models to understand metabolism *in vivo* 566(1991)309

Automated high-performance liquid chromatographic assay of enzymatic activities 566(1991)327

Carrier membrane as a stationary phase for affinity chromatography and kinetic studies of membrane-bound enzymes 566(1991)341

Purification of carbonic anhydrase isoenzymes by high-performance affinity chromatography and hydrophobic interaction chromatography 566(1991)351

High-performance liquid chromatographic assay of human lymphocyte kynureninase activity levels 566(1991)369

High-performance liquid chromatographic determination of D-amino acid oxidase activity 566(1991)377

High-performance liquid chromatographic assays for protoporphyrinogen oxidase and ferrochelatase in human leucocytes 566(1991)383

Determination of ^{125}I-labelled thyroxine glucuronide by reversed-phase high-performance liquid chromatography using on-line radiochemical detection to determine UDPglucuronosyltransferase activity 566(1991)415

Radio-detection high-performance liquid chromatographic enzyme assay for inhibitors of fungal sterol Δ^{14}-reductase 566(1991)435

High-performance liquid chromatographic assay of L-α-glycerophosphorylcholine using a two-step enzymic conversion 566(1991)445

p-Nitrophenyllaurate: a substrate for the high-performance liquid chromatographic determination of lipase activity 566(1991)453

High-performance liquid chromatographic investigation of product formation in the horseradish peroxidase-enhanced chemiluminescence of luminol with different enhancers 566(1991)461

Determination of biocatalyst consumption in an aminopeptidase process using automated sample preparation and high-performance liquid chromatography 566(1991)493

Epinephrine
Determination of heat-exposure effects on the concentration of catecholamines in bovine plasma and milk 566(1991)29

Ethanol
Direct injection high-performance liquid chromatographic method with electrochemical detection for the determination of ethanol and methanol in plasma using an alcohol oxidase reactor 566(1991)333

Ferrochelatase
High-performance liquid chromatographic assays for protoporphyrinogen oxidase and ferrochelatase in human leucocytes 566(1991)383

Finasteride
High-performance liquid chromatographic method for the determination of finasteride in human plasma at therapeutic doses 566(1991)127

Floxuridine
High-performance liquid chromatographic method for the simultaneous measurement of floxuridine and fluorouracil in human body fluids 566(1991)147

5-Fluorodeoxyuridine
High-performance liquid chromatographic method for the simultaneous measurement of floxuridine and fluorouracil in human body fluids 566(1991)147

Fluorouracil
High-performance liquid chromatographic method for the simultaneous measurement of floxuridine and fluorouracil in human body fluids 566(1991)147

γ-Glutamyl peptides
Automated determination of neuroactive acidic sulphur-containing amino acids and γ-glutamyl peptides using liquid chromatography with fluorescence and electrochemical detection 566(1991)39

L-α-Glycerophosphorylcholine
High-performance liquid chromatographic assay of L-α-glycerophosphorylcholine using a two-step enzymic conversion 566(1991)445

Glyphosate
High-performance liquid chromatographic determination of glyphosate and (aminomethyl)-phosphonic acid in human serum after conversion into *p*-toluenesulphonyl derivatives 566(1991)239

High-density lipoproteins
Separation of human serum lipoproteins into three major classes by hydroxyapatite chromatography 566(1991)67

Horseradish peroxidase
High-performance liquid chromatographic investigation of product formation in the horseradish peroxidase-enhanced chemiluminescence of luminol with different enhancers 566(1991)461

Hyaluronic acid
Assay of synovial fluid hyaluronic acid using high-performance liquid chromatography of hyaluronidase digests 566(1991)9

3-Hydroxyanthranilic acid
High-performance liquid chromatographic assay of human lymphocyte kynureninase activity levels 566(1991)369

2-Hydroxytrimipramine
Simultaneous determination of trimipramine and its major metabolites by high-performance liquid chromatography 566(1991)228

Imidazoleamines
Application of high-performance liquid chromatography to the study of biogenic amine-related enzymes (Review) 566(1991)287

Immune complexes
Chromatographic and electrophoretic studies of circulating immune complexes in plasma 566(1991)77

Indoleamines
Application of high-performance liquid chromatography to the study of biogenic amine-related enzymes (Review) 566(1991)287

Isoenzymes
Purification of carbonic anhydrase isoenzymes by high-performance affinity chromatography and hydrophobic interaction chromatography 566(1991)351

Kynureninase
High-performance liquid chromatographic assay of human lymphocyte kynureninase activity levels 566(1991)369

D-Lactate
Fluorimetric and high-performance liquid chromatographic determination of D-lactate in biological samples 566(1991)1

Leuprorelin
High-performance liquid chromatography followed by radioimmunoassay for the determination of a luteinizing hormone-releasing hormone analogue, leuprorelin, and its metabolite 566(1991)57

Lipases
p-Nitrophenyllaurate: a substrate for the high-performance liquid chromatographic determination of lipase activity 566(1991)453

Lipoproteins
Separation of human serum lipoproteins into three major classes by hydroxyapatite chromatography 566(1991)67

Low-density lipoproteins
Separation of human serum lipoproteins into three major classes by hydroxyapatite chromatography 566(1991)67

Luminol
High-performance liquid chromatographic investigation of product formation in the horseradish peroxidase-enhanced chemiluminescence of luminol with different enhancers 566(1991)461

Methanol
Direct injection high-performance liquid chromatographic method with electrochemical detection for the determination of ethanol and methanol in plasma using an alcohol oxidase reactor 566(1991)333

5-Methylcytosine
5-Methylcytosine content of DNA in blood, synovial mononuclear cells and synovial tissue from patients affected by autoimmune rheumatic diseases 566(1991)481

N'-Methylhistidine
Simple and sensitive determination of plasma N'-methylhistidine by high-performance liquid chromatography using pre-column derivative formation with *o*-phthalaldehyde–2-mercaptoethanol 566(1991)223

3-Methylindole
Rapid and accurate high-performance liquid chromatographic method for the determination of 3-methylindole (skatole) in faeces of various species 566(1991)101

Methylmalonic acid
Analysis of serum methylmalonic acid for the determination of cobalt deficiency in cattle 566(1991)215

Mexiletine
Fluorimetric determination of mexiletine in serum by high-performance liquid chromatography using pre-column derivatization with fluorescamine 566(1991)187

Monoclonal antibodies
Immobilization of ultra-thin layer of monoclonal antibody on glass surface 566(1991)361

Monodesmethyltrimipramine
Simultaneous determination of trimipramine and its major metabolites by high-performance liquid chromatography 566(1991)228

Morphine
Determination of morphine and 6-acetylmorphine in plasma by high-performance liquid chromatography with fluorescence detection 566(1991)135

Myosin light-chain kinase
Use of anion-exchange high-performance liquid chromatography for the study of smooth muscle myosin light-chain kinase and its catalytic domain 566(1991)427

4-Nitrophenyl acetate
Carrier membrane as a stationary phase for affinity chromatography and kinetic studies of membrane-bound enzymes 566(1991)341

***p*-Nitrophenyllaurate**
p-Nitrophenyllaurate: a substrate for the high-performance liquid chromatographic determination of lipase activity 566(1991)453

Norepinephrine
Determination of heat-exposure effects on the concentration of catecholamines in bovine plasma and milk 566(1991)29

Organotin compounds
Comparison of sulphur-mode and tin-mode flame photometric detectors for the gas chromatographic determination of organotin compounds 566(1991)207

Peptides
Automated determination of neuroactive acidic sulphur-containing amino acids and γ-glutamyl peptides using liquid chromatography with fluorescence and electrochemical detection 566(1991)39

Polyamines
Application of high-performance liquid chromatography to the study of biogenic amine-related enzymes (Review) 566(1991)287

Polychlorinated biphenyls
Problems associated with interferences in the analysis of serum for polychlorinated biphenyls 566(1991)117

Potassium ion
Ion-sensitive field effect transistor as a monovalent cation detector for ion chromatography and its application to the measurement of Na^+ and K^+ concentrations in serum 566(1991)109

Protoporphyrinogen oxidase
High-performance liquid chromatographic assays for protoporphyrinogen oxidase and ferrochelatase in human leucocytes 566(1991)383

Skatole
Rapid and accurate high-performance liquid chromatographic method for the determination of 3-methylindole (skatole) in faeces of various species 566(1991)101

Sodium ion
Ion-sensitive field effect transistor as a monovalent cation detector for ion chromatography and its application to the measurement of Na^+ and K^+ concentrations in serum 566(1991)109

Sterol Δ^{14}-reductase
Radio-detection high-performance liquid chromatographic enzyme assay for inhibitors of fungal sterol Δ^{14}-reductase 566(1991)435

Tenuazonic acid
Reversed-phase high-performance liquid chromatography of tenuazonic acid and related tetramic acids 566(1991)195

Tetramic acids
Reversed-phase high-performance liquid chromatography of tenuazonic acid and related tetramic acids 566(1991)195

Thiamine
Application of high-performance liquid chromatography to the study of thiamine metabolism and in particular thiamine triphosphatase 566(1991)397

Thyroglobulin
Determination of proteolytic hydrolysis of thyroglobulin 566(1991)471

Thyroxine glucuronide
Determination of ^{125}I-labelled thyroxine glucuronide by reversed-phase high-performance liquid chromatography using on-line radiochemical detection to determine UDPglucuronosyltransferase activity 566(1991)415

Tin
Comparison of sulphur-mode and tin-mode flame photometric detectors for the gas chromatographic determination of organotin compounds 566(1991)207

Tocainide
Stereospecific high-performance liquid chromatographic determination of tocainide 566(1991)155

Trimipramine
Simultaneous determination of trimipramine and its major metabolites by high-performance liquid chromatography 566(1991)228

Trypsin
Automated high-performance liquid chromatographic assay of enzymatic activities 566(1991)327

UDPglucuronosyltransferase
Determination of ^{125}I-labelled thyroxine glucuronide by reversed-phase high-performance liquid chromatography using on-line radiochemical detection to determine UDPglucuronosyltransferase activity 566(1991)415

Uroporphyrinogen III
Random decarboxylation of uroporphyrinogen III by human hepatic uroporphyrinogen decarboxylase 566(1991)409

Very-low-density lipoproteins
Separation of human serum lipoproteins into three major classes by hydroxyapatite chromatography 566(1991)67